



### MAXIMUM POWER, MAXIMUM STYLE.

A fuel-injected 499cc parallel-twin engine, a lightweight aluminum frame and radial tires on 15-inch wheels mean this scooter goes like a sportbike. The TMAX has more than enough power to run with freeway traffic, and its aerodynamic fairing and expansive cockpit will get you there in maximum comfort and style—returning 47 miles or more per gallon\* on average the whole way.





visibility, ahead of a big, quiet cockpit.



and oxygen sensor inside the TMAX's muffler help keep it running perfectly. 

OBRIGHT LIGHTS Halogen low and high beams provide plenty of







## **BOXY IS BEAUTIFUL.**

That cube shape gives the C<sup>3</sup> great storage capacity—about nine gallons—and it's hard to beat a 49cc fuel-injected four-stroke engine that gets up to 115 miles on a single gallon of fuel\*. Big, wide tires, motorcycle-style fork and that zippy engine mean it's a hoot to ride, too.



115 MPG

SPORTY PLUSH A hydraulic telescopic fork up front and a single shock at the rear serve up a smooth ride. **B FULLY INFORMED** Speedometer, odometer, fuel gauge and indicator lights are all here.



\*ACCORDING TO EPA EMISSIONS FUEL ECONOMY TEST (LA-4). YOUR ACTUAL MILEAGE MAY VARY.

Get all the DETAILS at:
YAMAHA-MOTOR.COM



\*ACCORDING TO EPA EMISSIONS FUEL ECONOMY TEST [LA-4]. YOUR ACTUAL MILEAGE MAY VARY.

#### KING-SIZE FUN.

It's the next best thing to being chauffeured; all you do is hop aboard, twist the throttle and go. The Majesty's powerful 395cc engine and fully automatic transmission do the rest, easily transporting you and a passenger just about anywhere within your domain (and pretty far outside it, too). Car-like convenience, comfort and a big, 3.7-gallon gas tank give the Majesty serious range at 50 mpg.\* And a big windshield, plush seat for two and 16 gallons of locking storage beneath it complete the majestic picture.



the Majesty's full-coverage front fairing. (B)

ransmission and electric starting system.


parking brake carries on the fully automatic, easy-to-operate theme begun by the automatic





#### GENUINE YAMAHA TECHNOLOGY RACING

What sets GYTR apart from the competition? It's the winning combination of advanced technology, high-quality materials and superior design. Yamaha's rigorous testing ensures superior durability and performance. Race-inspired accessories designed to perform and please. That's why people who know insist on the best and ask for GYTR by name. Check out the complete line of Yamaha Genuine Accessories and Apparel at YAMAHA-MOTOR.COM



#### ACCESSORIES

See just how your machine might look wearing any of the scores of different GYTR accessories, or maybe in a different color scheme.



	3						
ENGINE	TMAX	MAJESTY	VINO 125	VINO CLASSIC	C3	ZUMA 125	ZUMA
ENGINE TYPE	499cc liquid-cooled DOHC	395cc liquid-cooled DOHC	124cc air-cooled SOHC	49cc liquid/air-cooled	49cc liquid-cooled SOHC	125cc forced air-cooled SOHC	49cc air-cooled 2-stroke single;
	4-stroke forward-inclined twin; 4 valves	4-stroke single; 4 valves	4-stroke single	4-stroke single, SOHC, 3 valves	4-stroke single; 3 valves	4-stroke single; 4 valves	reed-valve inducted
BORE x STROKE	66.0 x 73.0mm	83.0 x 73.0mm	51.5 x 60.0mm	38.0 x 43.5mm	38.0 x 43.5mm	52.4 x 57.9mm	40.0 x 39.2mm
COMPRESSION RATIO	11.0:1	10.6:1	9.8:1	12.0:1	12.0:1	10.0:1	7.0:1
FUEL DELIVERY	Electronic fuel injection	Electric fuel injection	Mikuni® 26mm	Teikei 14mm	Electronic fuel injection	Electronic fuel injection	Teikei 14mm
TRANSMISSION	CVT double-cog V-belt auto	Centrifugal clutch, double-cog V-belt auto	Centrifugal clutch, V-belt automatic	V-belt automatic	Constantly variable automatic	V-belt automatic	V-belt automatic
CHASSIS							
FRONT SUSPENSION	43mm telescopic fork	Telescopic fork; 4.7-in travel	Telescopic fork; 2.3-in travel	Telescopic fork; 2.3-in travel	Telescopic fork; 2.3-in travel	27mm telescopic fork	Telescopic fork; 2.6-in travel
REAR SUSPENSION	Swingarm	Twin shock; 4.0-in travel	Single shock; 2.1-in travel	Single shock; 2.1-in travel	Unit swing; 2.2-in travel	Dual shock	Single shock; 2.4-in travel
FRONT BRAKE	267mm disc	267mm disc	180mm disc	110mm drum	110mm drum	220mm disc	155mm disc
REAR BRAKE	267mm disc	267mm disc	110mm drum	110mm drum	110mm drum	Drum	Drum
FRONT TIRE	120/70-15 67H Radial	120/80-14	3.50-10 51J	90/90-10	120/90-10	120/70-12 51L	120/90-10
REAR TIRE	160/60-15 67H Radial	150/70-13	3.50-10 51J	90/90-10	120/90-10	130/70-12 56L	130/90-10
DIMENSIONS							
OVERALL DIMENSIONS (LxWxH)	86.4 x 30.5 x 56.9 in	87.8 x 30.7 x 54.3 in	69.0 x 27.5 x 41.8 in	65.6 x 24.8 x 39.6 in	73.0 x 27.0 x 41.1 in	75.2 x 30.1 x 43.8 in	74.4 x 27.8 x 43.7 in
SEAT HEIGHT	31.5 in	30.0 in	29.9 in	28.1 in	28.9 in	30.7 in	30.1 in
WHEELBASE	62.2 in	61.6 in	48.4 in	45.7 in	50.4 in	50.8 in	50.2 in
GROUND CLEARANCE	4.9 in	4.7 in	3.7 in	3.3 in	4.5 in	3.7 in	4.7 in
FUEL CAPACITY	4.0 gal	3.7 gal	1.2 gal	1.2 gal	1.2 gal	1.6 gal	1.5 gal
*EST. FUEL ECONOMY	47 mpg	50 mpg	96 mpg	110 mpg	115 mpg	89 mpg	123 mpg
**WET WEIGHT	489 lb	467 lb	240 lb	178 lb	198 lb	207 lb	207 lb
COLORS	High Tech Silver	Stealth Gray	Raspberry Metallic	Raspberry Metallic	Raven/Red	Team Yamaha Blue/White	Raven
		Pearl White	Silver			Alpine White	Vivid Yellow

2009 MODEL SHOWN

# **YAMAHA**

#### ©2009 YAMAHA MOTOR CORPORATION, U.S.A., 6555 KATELLA AVENUE, CYPRESS, CA 90630

There are few joys in life equal to the free-spirited thrill and experience of motorcycling. And that's why it's important for all of us to do our part as responsible riders. By following logical common-sense rules, we can maintain season after season of unparalleled enjoyment of our sport. Always remember to review your Yamaha Motorcycle Owner's Manual and Tips Booklet before you ride. Before each ride, take time to check all your equipment. Always wear an approved helmet, eye protection, long-sleeved shirt, long trousers, gloves and boots. And always be sure your bike is in first-class condition before riding. Keep it well-maintained and always outfitted in accordance with state and local laws. Provide parental supervision when a motorcycle is being operated by a minor. Every motorcycle rider should be aware of the limits of his or her skills, experience and abilities and ride accordingly. Beginners should be extremely cautious and allow extra time and distance for maneuvering and braking. All riders should ride well within the limits of their abilities, never beyond them. Always ride in a responsible manner, respecting the environment as well as all state and local laws. Ride responsibly, and remember, motorcycle riders, as all motorists, must practice defensive driving. Do not drink and ride. It is illegal and dangerous. Yamaha and the Motorcycle Safety Foundation encourage you to ride safely and respect the environment. For further information regarding the MSF course, please call 1-800-446-9227. Specifications subject to change without notice. See your dealer for details. Printed on recycled paper in the U.S.A. To find the Yamaha Dealer nearest you, call 1-800-88-YAMAHA.

#### YAMAHA GENUINE PARTS AND ACCESSORIES

CHECK OUT THE COMPLETE LINE OF YAMAHA GENUINE ACCESSORIES AND APPAREL AT

YAMAHA-MOTOR.COM























Y.E.S. provides complete peace of mind, with nationwide coverage at any Yamaha dealer that protects you from expensive repair bills by extending your warranty. Plus, there's no deductible and VAMAHA EXTENDED SERVICE Y.E.S. is fully transferable. For more information and a rate quote, see your dealer or visit yamaha-motor.com



\*According to EPA Emissions Fuel Economy Test (LA-4), your actual mileage may vary.